UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,579	04/27/2006	Xiang Ma	42P22768	7474
45209 INTEL/BSTZ	7590 02/04/200	EXAMINER		
	KOLOFF TAYLOR &	DOAN, DUC T		
1279 OAKMEAD PARKWAY SUNNYVALE, CA 94085-4040			ART UNIT	PAPER NUMBER
			2188	
			MAIL DATE	DELIVERY MODE
			02/04/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/577,579	MA ET AL.			
Office Action Summary	Examiner	Art Unit			
	DUC T. DOAN	2188			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w.  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 13 No.     This action is <b>FINAL</b> . 2b)⊠ This     Since this application is in condition for allowar closed in accordance with the practice under E.	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-20 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-20 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine	vn from consideration.  r election requirement. r.				
10)☑ The drawing(s) filed on 27 April 2006 is/are: a)  Applicant may not request that any objection to the o  Replacement drawing sheet(s) including the correcti  11)☐ The oath or declaration is objected to by the Ex-	drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/24/2007.	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ite			

### **3DETAILED ACTION**

#### Status of Claims

Claims 1-20 have been presented for examination in this application.

Claims 1-20 are rejected.

### Information Disclosure Statement

The Information Disclosure Statements received 4/24/2007 has been considered. See attached PTO-1449(s).

### U.S.C. 112, second paragraph

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 10 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As in claim 10, the recitation "to be enable and disabled" is not clear. There are several elements are being recited pertain to the enable and the disable. It is not clear when the enable and disable would occur, and which element "to be enabled and disable" applies to, i.e input/output decoder, or display interface decode, or path of media, or memory decoder or memory controller etc..

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by other's in this country or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b) by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-4,8-9,13, and 15-20 are rejected under 35 U.S.C. 102 (e) as being anticipated by Zimmer et al (US Pub. 2004/01582).

As in claim 1, Zimmer discloses a method comprising: initializing a plurality of media devices in communication with a computing device (par. 4-5, initializing components/devices); mapping information corresponding to each initialized media device to a plurality of memory locations of the computing device (Fig 3); and

operating the initialized media devices based on the mapped information corresponding to each operated media device while the computing device is in a pre-OS environment (Fig 1 and 2, par. 16, devices are being operated for booting up the system).

As in claim 2, Zimmer further discloses wherein each media device is initialized at a different time period corresponding to each initialized media device (Fig 2, par. 16, each device is initialized at its distinct time period).

As in claim 3, Zimmer further discloses wherein each information corresponding to each initialized media device is mapped to a different memory location in the plurality of memory locations of the computing device (Fig 5, device's service is mapped to memory page as shown in Fig 5).

As in claim 4, Zimmer further discloses initializing a first media device in the plurality of media devices by the computing device during a first time period (Fig 1 and 4, par. 16, initializing a first device); mapping a first information corresponding to the initialized first media device to a first memory location in the plurality of memory locations of the computing device (Fig 4 and 5, device's service is mapped to memory page as shown in Fig 5); initializing a second media device in the plurality of media devices by the computing device during a second time period (Fig 1 and 4, paragraph 16, initializing a second device); mapping a second information corresponding to the initialized second media device to a second memory location in the plurality of memory locations of the computing device (Fig 4 and 5, device's service is mapped to memory page as shown in Fig 5); and operating the initialized first and second media devices

based on the mapped first and second information while the computing device is in the pre-OS environment (par. 16, devices are being operated for booting up the system).

As in claim 8, Zimmer further disclose selecting a plurality of media devices in communication with the computing device for initializing (Fig 2); and allocating and programming communication resources for the selected plurality media devices by the computing device (par. 16-17, PEI pre-initializing phase) prior to the initializing the plurality of media devices (par. 16-17, DEX phase initializing and set up the devices).

As in claim 9, Zimmer discloses a system comprising: a plurality of media devices in communication with a computing device and adapted for initialization by the computing device (Fig 1, par. 3); and a memory mapping logic adapted to map information corresponding to the initialized media devices to a plurality of memory locations in a system memory of the computing device (Fig 5), wherein the computing device is adapted to operate the initialized media devices based on the mapped information corresponding to each operated media device while the computing device is in a pre-OS environment (par. 16-17).

As in claim 13, Zimmer further disclose wherein the memory mapping logic is further adapted to map each information corresponding to each initialized media device to a different memory location in the plurality of memory locations of the computing device (Fig 5).

As in claim 15, Zimmer further discloses wherein the information corresponding to each initialized media device comprises at least one of data, instructions, and addresses (Fig 5, boot service comprises data instruction and addresses).

As in claim 16, Zimmer further discloses wherein the computing device is adapted to detect the media devices; and to allocate and program communication resources for the detected media devices prior to the initialization of at least one of the media devices (par. 17-18, PEI and DEX phases).

As in claim 17, Zimmer further discloses wherein at least one of the media devices comprises an on-board device and a plug-in device (Fig 7 726 monitor), wherein at least one of the on-board device and a plug in device comprises at least one of a video device, an audio device and a audio/video device (Fig 7 776 monitor).

As in claim 18, Zimmer discloses a storage medium that provides software that, if executed by a computing device, will cause the computing device to perform the following operations: initializing a plurality of media devices in communication with the computing device (Fig 7); and operating the plurality of initialized media devices while the computing device is in a pre-OS environment (par. 16).

As in claim 19, Zimmer further discloses wherein each media device is initialized at a different time period corresponding to each initialized media device (Fig 2).

As in claim 20, Zimmer further discloses further comprising software adapted to map

information corresponding to each of the plurality of initialized media devices to a plurality

of memory locations of the computing device, each of the plurality of memory locations being different memory locations (Fig 5).

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 5-7,10-12 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zimmer et al (US Pat. 2004/0158828) in view of Cowperthwaite et al. (US Pub. 2005/0210158), herein Cow.

As in claim 5, Zimmer further discloses wherein the initializing a first media device by the computing device comprises (Fig 4 several devices are initialized concurrently during system boot): enabling input/output decoding for the first media device (par. 17-18, enabling i/o services); enabling memory decoding for the first media device (PEI initializing memory); loading and dispatching a service instructions corresponding to the first media device (par. 17 dispatcher 124); Zimmer does not expressly disclose the claim's specific details associating with switching modes. However, Cow further discloses obtaining a first memory information and a first mode

corresponding to the first memory location; enabling a decoding of a display interface on a path of the first media device; and switching the first media device to the first mode (Fig 1, paragraphs 14 and 20, devices are alternating selected to be displayed, and enabling the selected devices connecting to a graphic/display device, i.e display interface. All meta-data of the device in display mode, must be obtained before the device is displayed., par. 18). It would have been obvious to one of ordinary skill in the art at the time of invention to include the method to share a device such as graphic device among different devices Fig 1 170 180, as suggested by Cow in Zimmer 's system and thereby devices can share the graphic display efficiently (Fig 3, pars 16-17, devices of machines vm110 120 can share display device 170 in an efficiently manner).

As in claim 6, Zimmer discloses wherein the initializing a second media device by the computing device (Fig 4 several devices are initialized concurrently during system boot) comprises:

wherein the initializing a second media device by the computing device comprises: input/output decoding for the first media device (par. 17-18 i/o service for devices); memory decoding for the first media device (Fig 5 memory of devices); input/output decoding for the second media device (par. 17-18 i/o service for devices); memory decoding for the second media device (Fig 5, memory of devices); loading and dispatching a services instructions corresponding to the second media device (par. 17 dispatcher 124); Zimmer does not expressly disclose the claim's details associating with switching the devices. However, Cow further discloses disabling the enabled device (the enabled device must be disabled when switching to another device); disabling the

enabled decoding of the display interface on the path of the first media device (disable the connection of the enable device to the shared graphic device when switching, par. 20, when switching a device to "Focus" to be connected to the display 170, the other device will be disabled, i.e not connected to the display 170); obtaining a second memory information and a second mode corresponding to the second memory location; and switching the second media device to the second mode (par. 18, meta-data of the device to be displayed must be obtained; and the device is switched to a display mode). It would have been obvious to one of ordinary skill in the art at the time of invention to adopt the teaching of Cow in Zimmer's system for the same reasons stated above.

As in claim 7, Zimmer further discloses wherein operating the first and second media devices based on the mapped first and second information (Fig 5) comprises: memory decoding for the first media device (Fig 5); Zimmer does not expressly disclose the claim's aspect of re-enable devices and interacting modes of devices. However, Cow further disclose re-enable devices and interacting modes of devices (devices of VM 110 120 can be re-enable, switched to connect to a shared graphic device. Fig 3 shows devices of VM110 VM120 operate in an interactive manner). It would have been obvious to one of ordinary skill in the art at the time of invention to include the method to share a device such as graphic device among different devices Fig 1 170 180, as suggested by Cow in Zimmer 's system and thereby devices can share the graphic display efficiently (Fig 3, pars 16-17, devices of machines vm110 120 can share display device 170 in an efficiently manner).

As in claim 10, Zimmer a display interface decoder subsystem adapted to an input/output decoder subsystem adapted to decode input/output for each media device (par. 19, i/o service); a memory decoder subsystem adapted to decode memory instructions for each media device (Fig 5); a memory controller adapted to load and dispatch service instructions stored in the system memory (par. 17 dispatcher 124),

Zimmer does not expressly disclose the claim's aspect of display interface and switching modes. However, Cow discloses to obtain a memory information and decode a display interface on a path of each media device (par. 18-19, obtaining meta-data of the device to be displayed to display device 170); a mode corresponding to each memory location corresponding to each media device (each device to be displayed, i.e having a displayed mode, having meta-data in corresponding memory location, Fig 5), and a control logic adapted to switch the each media device to a mode corresponding to the switched media device (Fig 3, devices of VM 110 VM 120 are switched to display device 170). It would have been obvious to one of ordinary skill in the art at the time of invention to include the method to share a device such as graphic device among different devices Fig 1 170 180, as suggested by Cow in Zimmer 's system and thereby devices can share the graphic display efficiently (Fig 3, pars 16-17, devices of machines vm110 120 can share display device 170 in an efficiently manner).

As in claim 11, Zimmer discloses wherein each of the service instructions corresponding to each media device comprises at least one of a video service instructions and an audio service instructions (Zimmer discloses a method that enable firmwares/services of any vendor, of any media such as CD, ROM disk etc... par. 5.

The list may not be exhaustive, and it is clear that the teaching of Zimmer applies equally to other media such as floppy disk, dvd disk, tape etc which are other mainstream and well known media).

As in claim 12, Zimmer discloses wherein the video service instructions comprise an option ROM instructions (par. 4). Zimmer does not expressly disclose the claim's aspect of VGA interface. However, Cow discloses wherein the display interface comprises a video graphics array (VGA) interface (Fig 3). It would have been obvious to one of ordinary skill in the art at the time of invention to adopt the teaching of Cow to Zimmer's system for the same reasons stated above.

As in claim14, Zimmer does not disclose wherein at least one of memory location in the plurality of memory locations comprises a linear frame buffer. It would have been obvious to one of ordinary skill in the art at the time of invention to include the method to share a device such as graphic device among different devices Fig 1 170 180, as suggested by Cow in Zimmer 's system and thereby devices can share the graphic display efficiently (Fig 3, pars 16-17, devices of machines vm110 120 can share display device 170 in an efficiently manner).

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duc T. Doan whose telephone number is 571-272-4171. The examiner can normally be reached on M-F 8:00 AM 05:00 PM.

Application/Control Number: 10/577,579 Page 12

Art Unit: 2188

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung S. Sough can be reached on 571-272-6799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

/Jasmine Song/

Primary Examiner, Art Unit 2188